


**ROHS COMPLIANT** 

	REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED	
-	DCN 42335	05/16	DAL	







## **MATERIAL**:

STAINLESS STEEL PER AMS-5640, ALLOY UNS S30300, TYPE 1 BODY:

BERYLLIUM COPPER PER ASTM B196, ALLOY No. UNS C17300, TD04 CONTACT:

PTFE PER ASTM D1710, TYPE I, GRADE 1, CLASS B **INSULATOR:** 

O-RING: SILICONE RUBBER PER A-A-59588, CLASS 2B, GRADE 50/60

FINISH:

BODY &

CONTACT:

GOLD PER ASTM B488, TYPE II, CODE C, CLASS 1.26, OVER NICKEL PER AMS-QQ-N-290, CLASS 1, .00005" MIN.

**PERFORMANCE**:

FREQ.RANGE: DC TO 22.0 GHz

_			
	MATERIAL:	SEE NOTES	
	FINISH:	SEE NOTES	
	SURFACE AR	EA: N/A	
	PROPRIETARY		
	IS THE SOLE P ANY REPRODU WITHOUT THE	TION CONTAINED IN THIS DRAW ROPERTY OF SV MICROWAVE, ICTION IN PART OR AS A WHOL WRITTEN PERMISSION OF /E, INC IS PROHIBITED.	

DIMENSIONS ARE IN INCHES TOLERANCES:		
FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' +15'		
DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005		
INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994		

°0' 5' ≣S	1) ALL DIMENSIONS ARE IN INCHES IMILLIMETEI 2) ALL DIMENSIONS ARE ATTER PLATING. 3) BREAK CORNERS & EDGES .005 R. MAX. 4) CHAM. IST & LAST THREADS. 5) SURFACE ROUGHNESS 63.MIL.STD-10. 10 DIA:5 ON COMMON CENTERS TO BE CONCEI WITHIN .005 T.I.R. 7) REMOVE ALL BURRS	
	7) KEMOVE ALE BOKKS	
	DRAWN:	GPF 05/19

UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION	DRAWN:	GPF 05/19/16
	CHECKED:	DAL 05/19/16
9 1	APPROVED:	DAL 05/19/16

## SV Microwave, Inc.

2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409

TITLE: BMA MALE PCB EDGE LAUNCH

SIZE CAGE CODE DWG. NO. B 95077 1711-60044 SCALE: 8:1 SHEET 1 OF 1